



HIGH-EFFICIENCY INTERIOR LIGHTING SYSTEMS
City of Lake Oswego
Community Development Dept. – Building Division

In accordance with the Oregon Residential Specialty Code Section N1107.2, a minimum of fifty (50) percent of the permanently installed lighting fixtures shall be installed with compact or linear fluorescent, or a lighting source that has a minimum efficacy of 40 lumens per input watt. Screw-in compact fluorescent lamps comply with this requirement.

The building official shall be notified in writing prior to the final inspection that a minimum of fifty percent of the permanently install lighting fixture are compact or linear fluorescent, or a minimum efficacy of 40 lumens per input watt. Please sign and date this form and either send to the building division or present it to the building inspector at the time of the final building inspection. Approval of the final inspection cannot be granted until the building department receives this form.

Permit No: _____

Project Address: _____

By my signature below, I certify that a minimum of fifty (50) percent of the permanently installed lighting fixtures in the above mentioned building have been installed with compact or linear fluorescent, or a light source that has a minimum efficacy of 40 lumens per input watt (Oregon Residential Specialty Code N1107.2)

Print Name: _____

Signed: _____ Date: _____

To receive prompt service, please return this form to the building department prior to scheduling the final inspection. For your convenience you may fax or e-mail this form to the following:

City of Lake Oswego
Building Department
PO Box 369
Lake Oswego, OR 97034

Fax: 503-697-6574

E-Mail: asuzuki@lakeoswego.city